

BISMUTH AAS STANDARD SOLUTION 1000MG/L BI IN DILUTED HNO3 MSDS



LABORATORY REAGENTS
& FINE CHEMICALS

CAS No: MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : BISMUTH AAS STANDARD SOLUTION 1000mg/L Bi IN DILUTED HNO3
Product code : A700N

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.
107 Wode House Road, Jehangir Villa, Colaba
400005 Mumbai - INDIA
T +91 22 6663 6663 - F +91 22 6663 6699
info@lobachemie.com - www.lobachemie.com

1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, H315
Category 2
Serious eye damage/eye H319
irritation, Category 2
Specific target organ H335
toxicity — Single
exposure, Category 3,
Respiratory tract irritation

Full text of classification categories and H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

BISMUTH AAS STANDARD SOLUTION 1000mg/L Bi IN DILUTED HNO3

Safety Data Sheet

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H315 - Causes skin irritation
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation

Precautionary statements (CLP) :

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P220 - Keep/Store away from clothing/.../combustible materials

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--------------------------------|-----------------------------------------------------------------------|---------|-----------------------------------------------------------------|
| Water | (CAS No) 7732-18-5 (EC no) 231-791-2 | 75 - 99 | Not classified |
| Nitric acid | (CAS No) 7697-37-2 (EC no) 231-714-2 (EC index no) 007-004-00-1 | 1 - 5 | Ox. Liq. 1, H271 Skin Corr. 1A, H314 |
| BISMUTH (METAL) GRANULAR 99.5% | (CAS No) 7440-69-9 | 0.1 - 1 | Not classified |

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation :

Assure fresh air breathing. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

BISMUTH AAS STANDARD SOLUTION 1000mg/L Bi IN DILUTED HNO₃

Safety Data Sheet

| | |
|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| First-aid measures after skin contact | : Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention. |
| First-aid measures after ingestion | : Rinse mouth. Do not induce vomiting. Get medical advice/attention. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|--------------------------------------|--------------------------------------------------------------------------------------|
| Symptoms/injuries after skin contact | : Causes skin irritation. |
| Symptoms/injuries after eye contact | : Causes serious eye irritation. |
| Symptoms/injuries after ingestion | : Swallowing a small quantity of this material will result in serious health hazard. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|----------------------------------------------------|
| Suitable extinguishing media | : Carbon dioxide. Dry powder. Foam. Water spray. |
| Unsuitable extinguishing media | : Do not use extinguishing media containing water. |

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

| | |
|--------------------------------|-------------------------------------------------------------------------------------------------|
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |
|--------------------------------|-------------------------------------------------------------------------------------------------|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

| | |
|----------------------|-----------------------------------|
| Emergency procedures | : Evacuate unnecessary personnel. |
|----------------------|-----------------------------------|

6.1.2. For emergency responders

| | |
|----------------------|--------------------------------------------------|
| Protective equipment | : Use personal protective equipment as required. |
|----------------------|--------------------------------------------------|

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|------------------------------------------------------------------------|
| Methods for cleaning up | : On land, sweep or shovel into suitable containers. Collect spillage. |
|-------------------------|------------------------------------------------------------------------|

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Precautions for safe handling | : Avoid contact with skin and eyes. Do not breathe vapours. Provide good ventilation in process area to prevent formation of vapour. |
| Hygiene measures | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. |

7.2. Conditions for safe storage, including any incompatibilities

| | |
|--------------------|--------------------------------------------------------------------|
| Storage conditions | : Store in a well-ventilated place. Keep container tightly closed. |
|--------------------|--------------------------------------------------------------------|

7.3. Specific end use(s)

No additional information available

BISMUTH AAS STANDARD SOLUTION 1000mg/L Bi IN DILUTED HNO₃

Safety Data Sheet

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

| | |
|--------------------------|--------------------------------------|
| Hand protection | : Protective gloves |
| Eye protection | : Chemical goggles or safety glasses |
| Skin and body protection | : Wear suitable protective clothing |
| Respiratory protection | : Wear respiratory protection |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--------------------------------------------|---------------------|
| Physical state | : Liquid |
| Colour | : Clear Colorless. |
| Odour | : No data available |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |

BISMUTH AAS STANDARD SOLUTION 1000mg/L Bi IN DILUTED HNO₃

Safety Data Sheet

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Overheating. Open flame. Sparks. Heat.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

BISMUTH AAS STANDARD SOLUTION 1000mg/L Bi IN DILUTED HNO₃

Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

| | |
|---------------|--------|
| UN-No. (ADR) | : 3264 |
| UN-No. (IMDG) | : 3264 |
| UN-No.(IATA) | : 3264 |
| UN-No.(ADN) | : 3264 |
| UN-No. (RID) | : 3264 |

14.2. UN proper shipping name

| | |
|---------------------------------------|---------------------------------------------------------------------------------|
| Proper Shipping Name (ADR) | : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. |
| Proper Shipping Name (IMDG) | : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. |
| Proper Shipping Name (IATA) | : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. |
| Proper Shipping Name (ADN) | : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. |
| Proper Shipping Name (RID) | : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. |
| Transport document description (ADR) | : UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III, (E) |
| Transport document description (IMDG) | : UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III, MARINE POLLUTANT |
| Transport document description (IATA) | : UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III |
| Transport document description (ADN) | : UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III |
| Transport document description (RID) | : UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III |

BISMUTH AAS STANDARD SOLUTION 1000mg/L Bi IN DILUTED HNO₃

Safety Data Sheet

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8

Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8

Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8

Hazard labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8

Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

BISMUTH AAS STANDARD SOLUTION 1000mg/L Bi IN DILUTED HNO3

Safety Data Sheet


Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : Yes (IMDG only)
Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C1
Special provision (ADR) : 274
Limited quantities (ADR) : 5L
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P001, IBC03, LP01, R001
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions (ADR) : TP1, TP28
Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80
Orange plates : 
Tunnel restriction code (ADR) : E
EAC code : 2X
APP code : B

- Transport by sea

Special provision (IMDG) : 223, 274
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T7
Tank special provisions (IMDG) : TP1, TP28
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW2
MFAG-No : 154

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y841
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 852

BISMUTH AAS STANDARD SOLUTION 1000mg/L Bi IN DILUTED HNO₃

Safety Data Sheet

| | |
|---------------------------------|-------|
| PCA max net quantity (IATA) | : 5L |
| CAO packing instructions (IATA) | : 856 |
| CAO max net quantity (IATA) | : 60L |
| Special provision (IATA) | : A3 |
| ERG code (IATA) | : 8L |

- Inland waterway transport

| | |
|-----------------------------------|----------|
| Classification code (ADN) | : C1 |
| Special provisions (ADN) | : 274 |
| Limited quantities (ADN) | : 5 L |
| Excepted quantities (ADN) | : E1 |
| Carriage permitted (ADN) | : T |
| Equipment required (ADN) | : PP, EP |
| Number of blue cones/lights (ADN) | : 0 |

- Rail transport

| | |
|-----------------------------------------------------------|---------------------------|
| Classification code (RID) | : C1 |
| Special provision (RID) | : 274 |
| Limited quantities (RID) | : 5L |
| Excepted quantities (RID) | : E1 |
| Packing instructions (RID) | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (RID) | : MP19 |
| Portable tank and bulk container instructions (RID) | : T7 |
| Portable tank and bulk container special provisions (RID) | : TP1, TP28 |
| Tank codes for RID tanks (RID) | : L4BN |
| Transport category (RID) | : 3 |
| Special provisions for carriage – Packages (RID) | : W12 |
| Colis express (express parcels) (RID) | : CE8 |
| Hazard identification number (RID) | : 80 |

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

15.1.2. National regulations

Germany

BISMUTH AAS STANDARD SOLUTION 1000mg/L Bi IN DILUTED HNO₃

Safety Data Sheet

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-phrases:

| | |
|---------------|--------------------------------------------------------------------------------------------|
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Ox. Liq. 1 | Oxidising Liquids, Category 1 |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1A |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H271 | May cause fire or explosion; strong oxidiser |
| H314 | Causes severe skin burns and eye damage |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product