

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS Reference Number: 00067 Issue date: 8/22/2024 Revision date: 4/9/2015 Supersedes version of: 4/9/2015 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Substance

Trade name CARBON DISULPHIDE EXTRA PURE

EC Index-No. 006-003-00-3 EC-No. 200-843-6 CAS-No. 75-15-0 Product code 00067

Type of product Organic compound

CS₂ Formula

Chemical structure

Synonyms : Carbon bisulphide, Dithiocarbonic anhydride

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

Use of the substance/mixture : Solvents

1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.

107 Wode House Road, Jehangir Villa, Colaba

400005 Mumbai

INDIA

T+91 22 6663 6663. F+91 22 6663 6699 info@lobachemie.com, www.lobachemie.com

1.4. Emergency telephone number

: + 91 22 6663 6663 (9:00am - 6:00 pm) Emergency number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225 Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Reproductive toxicity, Category 2 H361fd Specific target organ toxicity - Repeated exposure, Category 1 H372

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02





GHS07

GHS08

Safety Data Sheet

Precautionary statements (CLP)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child.

H372 - Causes damage to organs through prolonged or repeated exposure.

: P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P314 - Get medical advice/attention if you feel unwell.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type : Mono-constituent

Name	Product identifier	%
CARBON DISULPHIDE	CAS-No.: 75-15-0 EC-No.: 200-843-6 EC Index-No.: 006-003-00-3	100

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial

respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Wash with

plenty of water/.... Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this

label). If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If eye irritation

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice. Call a poison center or

a doctor if you feel unwell.

First-aid measures for first aider : First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes damage to organs through prolonged or repeated exposure.

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : Causes skin irritation. Irritation.

Symptoms/effects after eye contact : Causes serious eye irritation. Eye irritation.

Symptoms/effects after ingestion : None under normal conditions.

4/9/2015 (Revision date) EN (English) 2/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Water spray. Dry

powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames.

No smoking. Stop leak if safe to do so. Notify authorities if product enters sewers or public

waters. Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and

no smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and

eyes.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use personal protective

equipment as required. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Stop release. Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material. Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as

soon as possible. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

4/9/2015 (Revision date) EN (English) 3/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed Precautions for safe handling

- : Handle empty containers with care because residual vapours are flammable.
- Ensure good ventilation of the work station. No open flames. No smoking. Use only non-sparking tools. Do not breathe dust/fume/gas/mist/vapours/spray. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes.

Hygiene measures : Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Use explosion-proof electrical/ventilating/lighting

Storage conditions : Keep in fireproof place. Keep container tightly closed. Store in a well-ventilated place. Keep

cool. Store locked up.Heat sources.

Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

Incompatible materials

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):







Eye and face protection

Eye protection:

Chemical goggles or safety glasses

Skin protection

Skin and body protection:

Wear a mask

Hand protection:

Protective gloves

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Respiratory protection

Respiratory protection:

Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Colourless to yellow.

Appearance : Clear liquid.

Molecular mass : 76.13 g/mol

Odour : stench unpleasant odour.

Odour threshold : Not available
Melting point : -111 °C
Freezing point : Not available
Boiling point : 46 °C

Flammability : Extremely flammable

Highly flammable liquid and vapour.

Lower explosion limit: 1 vol %Upper explosion limit: 60 vol %Flash point: -30 °CAuto-ignition temperature: 90 °CDecomposition temperature: Not availablepH: Not available

Solubility : Water: 0.2 g/100ml Slightly miscible

Ethanol: Miscible
Ether: Miscible

Partition coefficient n-octanol/water (Log Kow) : Not available

Partition coefficient n-octanol/water (Log Pow) : 2.16

Vapour pressure : 359 mm Hg at 25 °C
Vapour pressure at 50°C : Not available
Density : 1.26 g/cm³ at 20 °C
Relative density : Not available
Relative vapour density at 20°C : 2.67 (Air = 1)
Particle characteristics : Not applicable

9.2. Other information

Other safety characteristics

Relative evaporation rate (butylacetate=1) : 22.6

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour.

10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.4. Conditions to avoid

Open flame. Direct sunlight. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified
Skin corrosion/irritation : Causes skin irritation.

Outline out of the state of the

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Suspected of damaging fertility. Suspected of damaging the unborn child.

STOT-single exposure : Not classified

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

CARBON DISULPHIDE EXTRA PURE (75-15-0)

Viscosity, kinematic 0.288 mm²/s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short–term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

12.2. Persistence and degradability

CARBON DISULPHIDE EXTRA PURE (75-15-0)

Persistence and degradability Rapidly degradable

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

4/9/2015 (Revision date) EN (English) 6/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation. Disposal must be done

according to official regulations.

Additional information : Handle empty containers with care because residual vapours are flammable. Flammable

vapours may accumulate in the container. Do not re-use empty containers.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

 UN-No. (ADR)
 : UN 1131

 UN-No. (IMDG)
 : UN 1131

 UN-No. (IATA)
 : UN 1131

 UN-No. (ADN)
 : UN 1131

 UN-No. (RID)
 : UN 1131

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CARBON DISULPHIDE
Proper Shipping Name (IMDG) : CARBON DISULPHIDE
Proper Shipping Name (IATA) : Carbon disulphide
Proper Shipping Name (ADN) : CARBON DISULPHIDE
Proper Shipping Name (RID) : CARBON DISULPHIDE

Transport document description (ADR)

: UN 1131 CARBON DISULPHIDE, 3 (6.1), I, (C/E)

Transport document description (IMDG)

: UN 1131 CARBON DISULPHIDE, 3 (6.1), I (-30°C c.c.)

Transport document description (IATA) : UN 1131 Carbon disulphide, 3 (6.1), I
Transport document description (ADN) : UN 1131 CARBON DISULPHIDE, 3 (6.1), I
Transport document description (RID) : UN 1131 CARBON DISULPHIDE, 3 (6.1), I

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3 (6.1)
Danger labels (ADR) : 3, 6.1



IMDG

Transport hazard class(es) (IMDG) : 3 (6.1)
Danger labels (IMDG) : 3, 6.1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



IATA

Transport hazard class(es) (IATA) : 3 (6.1)

ADN

Transport hazard class(es) (ADN) : 3 (6.1)
Danger labels (ADN) : 3, 6.1



RID

Transport hazard class(es) (RID) : 3 (6.1)
Danger labels (RID) : 3, 6.1



14.4. Packing group

Packing group (ADR) : I
Packing group (IMDG) : I
Packing group (IATA) : I
Packing group (ADN) : I
Packing group (RID) : I

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-D

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : FT1
Limited quantities (ADR) : 0
Excepted quantities (ADR) : E0
Packing instructions (ADR) : P001
Special packing provisions (ADR) : PP31
Mixed packing provisions (ADR) : MP7, MP17
Portable tank and bulk container instructions (ADR) : T14
Portable tank and bulk container special provisions : TP2, TP7

(ADR)

Tank code (ADR) : L10CH

Tank special provisions (ADR) : TU2, TU14, TU15, TE21

Vehicle for tank carriage : FL Transport category (ADR) : 1

Special provisions for carriage - Loading, unloading : CV13, CV28

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2, S22 Hazard identification number (Kemler No.) : 336

4/9/2015 (Revision date) EN (English) 8/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Orange plates :

336 1131

Tunnel restriction code (ADR) : C/E
EAC code : 2WE
APP code : A(fl)

Transport by sea

Limited quantities (IMDG) : 0

Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P001

Special packing provisions (IMDG) : P731

Tank instructions (IMDG) : T14

Tank special provisions (IMDG) : TP2, TP7, TP13

Stowage category (IMDG) : D
Stowage and handling (IMDG) : SW2
Segregation (IMDG) : SG63
Flash point (IMDG) : -30°C c.c.

Properties and observations (IMDG) : Colourless or faintly yellow, clear liquid, almost odourless when pure; the commercial

substance has a strong disagreeable odour. Flashpoint: -30°C c.c. Explosive limits: 1% to 60%. Boiling point: 46°C. Ignition temperature: 100°C. Immiscible with water. Vapours are heavier than air, will travel a considerable distance to a source of ignition and will flash back. Vapours may be ignited by contact with an ordinary light bulb or a warm steam pipe.

Toxic if swallowed, by skin contact or by inhalation.

MFAG-No : 131

Air transport

PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity (IATA) : Forbidden
PCA packing instructions (IATA) : Forbidden
PCA max net quantity (IATA) : Forbidden
CAO packing instructions (IATA) : Forbidden
CAO max net quantity (IATA) : Forbidden
ERG code (IATA) : 3HP

Inland waterway transport

Classification code (ADN) : FT1
Special provisions (ADN) : 802
Limited quantities (ADN) : 0
Excepted quantities (ADN) : E0
Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP, EX, TOX, A Ventilation (ADN) : VE01, VE02

Number of blue cones/lights (ADN) : 2

Rail transport

Classification code (RID) : FT1
Limited quantities (RID) : 0
Excepted quantities (RID) : E0
Packing instructions (RID) : P001
Special packing provisions (RID) : PP31
Mixed packing provisions (RID) : MP7, MP17
Portable tank and bulk container instructions (RID) : T14
Portable tank and bulk container special provisions : TP2, TP7

(RID)

Tank codes for RID tanks (RID) : L10CH

Special provisions for RID tanks (RID) : TU2, TU14, TU15, TU38, TE21, TE22

Transport category (RID) : 1

Special provisions for carriage - Loading, unloading : CW13, CW28

and handling (RID)

Hazard identification number (RID) : 336

4/9/2015 (Revision date) EN (English) 9/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	CARBON DISULPHIDE EXTRA PURE
3(b)	CARBON DISULPHIDE EXTRA PURE
40.	CARBON DISULPHIDE EXTRA PURE

REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Not listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Not listed on the PIC list (Regulation EU 649/2012)

POP Regulation (Persistent Organic Pollutants)

Not listed on the POP list (Regulation EU 2019/1021)

Ozone Regulation (1005/2009)

Not listed on the Ozone Depletion list (Regulation EU 1005/2009)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

France

Occupational diseases	
Code	Description
RG 22	Professional sulphocarbonism

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV).

Chemicals Prohibition Ordinance (ChemVerbotsV) : This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic

requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the

shipping route (according to § 10).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

4/9/2015 (Revision date) EN (English) 10/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

 $SZW\hbox{-lijst van reprotoxische stoffen}-Borstvoeding$

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

Denmark

SZW-lijst van reprotoxische stoffen – Ontwikkeling

: The substance is not listed

The substance is not listedThe substance is not listed

: CARBON DISULPHIDE is listed

: CARBON DISULPHIDE is listed

Classification remarks

Danish National Regulations

: Emergency management guidelines for the storage of flammable liquids must be followed

: Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H- and EUH-statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.