


CAS-No.: 6004-24-6 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
CAS-No. : 6004-24-6
Product code : 02675
Chemical structure :



1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.
107 Wode House Road, Jehangir Villa, Colaba
400005 Mumbai - INDIA
T +91 22 6663 6663 - F +91 22 6663 6699
info@lobachemie.com - www.lobachemie.com

1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 3	H301
Acute toxicity (inhal.), Category 2	H330
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335
Hazardous to the aquatic	H400

CETYL PYRIDINIUM CHLORIDE FOR SYNTHESIS

Safety Data Sheet

environment — Acute
Hazard, Category 1

Full text of H statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

T+; R26
T; R25
C; R34
Xi; R36/37/38
N; R50/53

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS06

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H301 - Toxic if swallowed.
H315 - Causes skin irritation.
H318 - Causes serious eye damage.
H330 - Fatal if inhaled.
H335 - May cause respiratory irritation.
H400 - Very toxic to aquatic life.

Precautionary statements (CLP) : P260 - Do not breathe vapours, spray, dust, fume, gas.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P284 - Wear respiratory protection.
P301+P310 - IF SWALLOWED: Immediately call a doctor.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : CETYL PYRIDINIUM CHLORIDE FOR SYNTHESIS
CAS-No. : 6004-24-6

CETYL PYRIDINIUM CHLORIDE FOR SYNTHESIS

Safety Data Sheet

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after inhalation	: May cause respiratory irritation. Fatal if inhaled.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Toxic if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
--------------------------------	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers.
-------------------------	--

CETYL PYRIDINIUM CHLORIDE FOR SYNTHESIS

Safety Data Sheet

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe vapours. Avoid contact with skin and eyes. Use only outdoors or in a well-ventilated area.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container tightly closed. Store in a well-ventilated place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or face shield

Skin and body protection : Wear suitable protective clothing

Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Molecular mass : 358.01 g/mol

Colour : White powder.

Odour : characteristic odour.

Odour threshold : No data available

pH : 5 - 5.4 at 20 °C

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 83 - 86 °C

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

CETYL PYRIDINIUM CHLORIDE FOR SYNTHESIS

Safety Data Sheet

Auto-ignition temperature	: No data available
Decomposition temperature	: 234 °C
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Water: Soluble
Log Pow	: 1.71
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Air contact. Direct sunlight. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Inhalation: Fatal if inhaled.

Skin corrosion/irritation : Causes skin irritation.
pH: 5 - 5.4 at 20 °C

Serious eye damage/irritation : Causes serious eye damage.
pH: 5 - 5.4 at 20 °C

Respiratory or skin sensitisation : Not classified

CETYL PYRIDINIUM CHLORIDE FOR SYNTHESIS

Safety Data Sheet

Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

Potential adverse human health effects and symptoms : Toxic if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

CETYL PYRIDINIUM CHLORIDE FOR SYNTHESIS (6004-24-6)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

12.3. Bioaccumulative potential

CETYL PYRIDINIUM CHLORIDE FOR SYNTHESIS (6004-24-6)

Log Pow	1.71
---------	------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecology - waste materials	: Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

CETYL PYRIDINIUM CHLORIDE FOR SYNTHESIS

Safety Data Sheet

14.1. UN number

UN-No. (ADR)	: 2811
UN-No. (IMDG)	: 2811
UN-No. (IATA)	: 2811
UN-No. (ADN)	: 2811
UN-No. (RID)	: 2811

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: TOXIC SOLID, ORGANIC, N.O.S.
Proper Shipping Name (IMDG)	: TOXIC SOLID, ORGANIC, N.O.S.
Proper Shipping Name (IATA)	: Toxic solid, organic, n.o.s.
Proper Shipping Name (ADN)	: TOXIC SOLID, ORGANIC, N.O.S.
Proper Shipping Name (RID)	: TOXIC SOLID, ORGANIC, N.O.S.
Transport document description (ADR)	: UN 2811 TOXIC SOLID, ORGANIC, N.O.S., 6.1, II, (D/E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 2811 TOXIC SOLID, ORGANIC, N.O.S., 6.1, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 2811 Toxic solid, organic, n.o.s., 6.1, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 2811 TOXIC SOLID, ORGANIC, N.O.S., 6.1, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 2811 TOXIC SOLID, ORGANIC, N.O.S., 6.1, II, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 6.1
Danger labels (ADR)	: 6.1



IMDG

Transport hazard class(es) (IMDG)	: 6.1
Danger labels (IMDG)	: 6.1



IATA

Transport hazard class(es) (IATA)	: 6.1
Hazard labels (IATA)	: 6.1



ADN

Transport hazard class(es) (ADN)	: 6.1
----------------------------------	-------

CETYL PYRIDINIUM CHLORIDE FOR SYNTHESIS

Safety Data Sheet

Danger labels (ADN) : 6.1



RID

Transport hazard class(es) (RID) : 6.1

Danger labels (RID) : 6.1



14.4. Packing group

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : T2

Special provisions (ADR) : 274, 614

Limited quantities (ADR) : 500g

Excepted quantities (ADR) : E4

Packing instructions (ADR) : P002, IBC08

Special packing provisions (ADR) : B4

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions (ADR) : T3

Portable tank and bulk container special provisions (ADR) : TP33

Tank code (ADR) : SGAH, L4BH

Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT

Transport category (ADR) : 2

Special provisions for carriage - Packages (ADR) : V11

Special provisions for carriage - Loading, unloading and handling (ADR) : CV13, CV28

Special provisions for carriage - Operation (ADR) : S9, S19

Hazard identification number (Kemler No.) : 60

CETYL PYRIDINIUM CHLORIDE FOR SYNTHESIS

Safety Data Sheet

Orange plates :

60
2811

Tunnel restriction code (ADR) : D/E
EAC code : 2X

- Transport by sea

Special provisions (IMDG) : 274
Packing instructions (IMDG) : P002
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B21, B4
Tank instructions (IMDG) : T3
Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-A
Stowage category (IMDG) : B
Properties and observations (IMDG) : Toxic if swallowed, by skin contact or by inhalation.
MFAG-No : 154

- Air transport

PCA Excepted quantities (IATA) : E4
PCA Limited quantities (IATA) : Y644
PCA limited quantity max net quantity (IATA) : 1kg
PCA packing instructions (IATA) : 669
PCA max net quantity (IATA) : 25kg
CAO packing instructions (IATA) : 676
CAO max net quantity (IATA) : 100kg
Special provisions (IATA) : A3, A5
ERG code (IATA) : 6L

- Inland waterway transport

Classification code (ADN) : T2
Special provisions (ADN) : 274, 614, 802
Limited quantities (ADN) : 500 g
Excepted quantities (ADN) : E4
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : T2
Special provisions (RID) : 274, 614
Excepted quantities (RID) : E4
Packing instructions (RID) : P002, IBC08
Special packing provisions (RID) : B4
Mixed packing provisions (RID) : MP10
Portable tank and bulk container instructions (RID) : T3
Portable tank and bulk container special provisions (RID) : TP33
Tank codes for RID tanks (RID) : SGAH, L4BH
Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 2
Special provisions for carriage – Packages (RID) : W11

CETYL PYRIDINIUM CHLORIDE FOR SYNTHESIS

Safety Data Sheet

Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW28, CW31
Colis express (express parcels) (RID) : CE9
Hazard identification number (RID) : 60

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

CETYL PYRIDINIUM CHLORIDE FOR SYNTHESIS is not on the REACH Candidate List

CETYL PYRIDINIUM CHLORIDE FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

CETYL PYRIDINIUM CHLORIDE FOR SYNTHESIS

Safety Data Sheet

Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H301	Toxic if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
R25	Toxic if swallowed
R26	Very toxic by inhalation
R34	Causes burns
R36/37/38	Irritating to eyes, respiratory system and skin
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
C	Corrosive
N	Dangerous for the environment
T	Toxic
T+	Very toxic
Xi	Irritant

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product