

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
CAS No : 7790-69-4
Product code : 04446

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.
107 Wode House Road, Jehangir Villa, Colaba
400005 Mumbai - INDIA
T +91 22 6663 6663 - F +91 22 6663 6699
info@lobachemie.com - www.lobachemie.com

1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, H272
Category 3

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.1; R45
O; R8

Full text of R-phrases: see section 16

LITHIUM NITRATE Extra Pure

Safety Data Sheet

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS03

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H272 - May intensify fire; oxidiser

Precautionary statements (CLP) :

P220 - Keep/Store away from clothing/.../combustible materials

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : LITHIUM NITRATE Extra Pure

CAS No : 7790-69-4

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂).

LITHIUM NITRATE Extra Pure

Safety Data Sheet

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : May cause or intensify fire; oxidizer.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

LITHIUM NITRATE Extra Pure

Safety Data Sheet

8.2. Exposure controls

Hand protection	: protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear appropriate mask

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Molecular mass	: 68.95 g/mol
Colour	: White crystalline.
Odour	: odourless.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 264 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 2.38 g/cm ³
Solubility	: Water: 50 g/100ml
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

LITHIUM NITRATE Extra Pure

Safety Data Sheet

SECTION 10: Stability and reactivity

10.1. Reactivity

May intensify fire; oxidiser.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Open flame. Heat. Sparks. Air contact. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

LITHIUM NITRATE Extra Pure

Safety Data Sheet

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 2722
UN-No. (IMDG)	: 2722
UN-No.(IATA)	: 2722
UN-No.(ADN)	: 2722
UN-No. (RID)	: 2722

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: LITHIUM NITRATE
Proper Shipping Name (IMDG)	: LITHIUM NITRATE
Proper Shipping Name (IATA)	: LITHIUM NITRATE
Proper Shipping Name (ADN)	: LITHIUM NITRATE
Proper Shipping Name (RID)	: LITHIUM NITRATE
Transport document description (ADR)	: UN 2722 LITHIUM NITRATE, 5.1, III, (E)
Transport document description (IMDG)	: UN 2722 LITHIUM NITRATE, 5.1, III
Transport document description (IATA)	: UN 2722 LITHIUM NITRATE, 5.1, III
Transport document description (ADN)	: UN 2722 LITHIUM NITRATE, 5.1, III
Transport document description (RID)	: UN 2722 LITHIUM NITRATE, 5.1, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 5.1
Danger labels (ADR)	: 5.1



IMDG

Transport hazard class(es) (IMDG)	: 5.1
-----------------------------------	-------

LITHIUM NITRATE Extra Pure

Safety Data Sheet

Danger labels (IMDG) : 5.1



IATA

Transport hazard class(es) (IATA) : 5.1

Hazard labels (IATA) : 5.1



ADN

Transport hazard class(es) (ADN) : 5.1

Danger labels (ADN) : 5.1



RID

Transport hazard class(es) (RID) : 5.1

Danger labels (RID) : 5.1



14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : O2


Limited quantities (ADR) : 5kg

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

LITHIUM NITRATE Extra Pure

Safety Data Sheet

Special packing provisions (ADR)	: B3
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T1
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAV
Tank special provisions (ADR)	: TU3
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Bulk (ADR)	: VC1, VC2, AP6, AP7
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24
Hazard identification number (Kemler No.)	: 50
Orange plates	: 
Tunnel restriction code (ADR)	: E
EAC code	: 1Z

- Transport by sea

Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P002, LP02
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: A
MFAG-No	: 140

- Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y546
PCA limited quantity max net quantity (IATA)	: 10kg
PCA packing instructions (IATA)	: 559
PCA max net quantity (IATA)	: 25kg
CAO packing instructions (IATA)	: 563
CAO max net quantity (IATA)	: 100kg
ERG code (IATA)	: 5L

- Inland waterway transport

Classification code (ADN)	: O2
Limited quantities (ADN)	: 5 kg
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: B
Equipment required (ADN)	: PP
Provisions prior to loading (ADN)	: LO04
Provisions for carriage in bulk (ADN)	: CO02
Number of blue cones/lights (ADN)	: 0

LITHIUM NITRATE Extra Pure

Safety Data Sheet

Additional requirements/Remarks (ADN) : CO02 and LO04 apply only when this substance is carried in bulk or without packaging

- Rail transport

Classification code (RID) : O2
Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1
Packing instructions (RID) : P002, IBC08, LP02, R001
Special packing provisions (RID) : B3
Mixed packing provisions (RID) : MP10
Portable tank and bulk container instructions (RID) : T1
Portable tank and bulk container special provisions (RID) : TP33
Tank codes for RID tanks (RID) : SGAV
Special provisions for RID tanks (RID) : TU3
Transport category (RID) : 3
Special provisions for carriage – Bulk (RID) : VC1, VC2, AP6, AP7
Special provisions for carriage – Loading and unloading (RID) : CW24
Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 50

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

LITHIUM NITRATE Extra Pure is not on the REACH Candidate List

LITHIUM NITRATE Extra Pure is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 3; WGK No 7389)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

LITHIUM NITRATE Extra Pure

Safety Data Sheet

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Ox. Sol. 3	Oxidising Solids, Category 3
H272	May intensify fire; oxidiser
R45	May cause cancer
R8	Contact with combustible material may cause fire
O	Oxidising

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product