

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
CAS No : 7446-08-4
Product code : 05675
Chemical structure :



1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.
107 Wode House Road, Jehangir Villa, Colaba
400005 Mumbai - INDIA
T +91 22 6663 6663 - F +91 22 6663 6699
info@lobachemie.com - www.lobachemie.com

1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H301
Category 3
Acute toxicity (inhal.), H331
Category 3
Specific target organ H373
toxicity — Repeated
exposure, Category 2
Hazardous to the aquatic H410
environment — Chronic
Hazard, Category 1

Full text of classification categories and H statements : see section 16

SELENIUM DIOXIDE (SUBLIMED) Extra Pure

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

T; R23/25

N; R50/53

R33

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS06



GHS08



GHS09

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H301+H331 - Toxic if swallowed or if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) :

P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician

P311 - Call a POISON CENTER or doctor/physician

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : SELENIUM DIOXIDE (SUBLIMED) Extra Pure

CAS No : 7446-08-4

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.

SELENIUM DIOXIDE (SUBLIMED) Extra Pure

Safety Data Sheet

First-aid measures after skin contact	: Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Obtain emergency medical attention. Immediately call a POISON CENTER or doctor/physician. Specific treatment (see ... on this label).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: May cause damage to organs.
Symptoms/injuries after inhalation	: Toxic if inhaled.
Symptoms/injuries after ingestion	: Toxic if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO ₂).
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

6.1.2. For emergency responders

Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Stop release.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Clear up rapidly by scoop or vacuum.
-------------------------	--

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Do not get in eyes, on skin, or on clothing.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash ... thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in original container. Keep container tightly closed.
--------------------	---

7.3. Specific end use(s)

No additional information available

SELENIUM DIOXIDE (SUBLIMED) Extra Pure

Safety Data Sheet

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection	: protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Almost White.
Odour	: vapor has a pungent sour smell.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 315 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 3.95 g/cm ³
Solubility	: Water: 28 % in water @ 200C
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available

SELENIUM DIOXIDE (SUBLIMED) Extra Pure

Safety Data Sheet

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Inhalation: Toxic if inhaled.

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : May cause damage to organs through prolonged or repeated exposure.

Additional information : There are potential chronic health effects to consider

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Toxic if swallowed.

SELENIUM DIOXIDE (SUBLIMED) Extra Pure

Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

SELENIUM DIOXIDE (SUBLIMED) Extra Pure (7446-08-4)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...

Ecology - waste materials : Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 3283

UN-No. (IMDG) : 3283

UN-No.(IATA) : 3283

UN-No.(ADN) : 3283

UN-No. (RID) : 3283

14.2. UN proper shipping name

Proper Shipping Name (ADR) : SELENIUM COMPOUND, SOLID, N.O.S.

Proper Shipping Name (IMDG) : SELENIUM COMPOUND, SOLID, N.O.S.

Proper Shipping Name (IATA) : SELENIUM COMPOUND, SOLID, N.O.S.

Proper Shipping Name (ADN) : SELENIUM COMPOUND, SOLID, N.O.S.

Proper Shipping Name (RID) : SELENIUM COMPOUND, SOLID, N.O.S.

Transport document description (ADR) : UN 3283 SELENIUM COMPOUND, SOLID, N.O.S., 6.1, III, (E), ENVIRONMENTALLY HAZARDOUS

Transport document description (IMDG) : UN 3283 SELENIUM COMPOUND, SOLID, N.O.S., 6.1, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS

SELENIUM DIOXIDE (SUBLIMED) Extra Pure

Safety Data Sheet

Transport document description (IATA)	: UN 3283 SELENIUM COMPOUND, SOLID, N.O.S., 6.1, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 3283 SELENIUM COMPOUND, SOLID, N.O.S., 6.1, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 3283 SELENIUM COMPOUND, SOLID, N.O.S., 6.1, III, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 6.1
Danger labels (ADR)	: 6.1



IMDG

Transport hazard class(es) (IMDG)	: 6.1
Danger labels (IMDG)	: 6.1



IATA

Transport hazard class(es) (IATA)	: 6.1
Hazard labels (IATA)	: 6.1



ADN

Transport hazard class(es) (ADN)	: 6.1
Danger labels (ADN)	: 6.1



RID

Transport hazard class(es) (RID)	: 6.1
Danger labels (RID)	: 6.1



SELENIUM DIOXIDE (SUBLIMED) Extra Pure

Safety Data Sheet

14.4. Packing group

Packing group (ADR)	: III
Packing group (IMDG)	: III
Packing group (IATA)	: III
Packing group (ADN)	: III
Packing group (RID)	: III

14.5. Environmental hazards

Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: T5
Special provision (ADR)	: 274, 563
Limited quantities (ADR)	: 5kg
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Special packing provisions (ADR)	: B3
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T1
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAH, L4BH
Tank special provisions (ADR)	: TU15, TE19
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Bulk (ADR)	: VC1, VC2, AP7
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13, CV28
Special provisions for carriage - Operation (ADR)	: S9
Hazard identification number (Kemler No.)	: 60
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 2X

- Transport by sea

Special provision (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P002, LP02
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-A

SELENIUM DIOXIDE (SUBLIMED) Extra Pure

Safety Data Sheet

Stowage category (IMDG) : A
MFAG-No : 151

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y645
PCA limited quantity max net quantity (IATA) : 10kg
PCA packing instructions (IATA) : 670
PCA max net quantity (IATA) : 100kg
CAO packing instructions (IATA) : 677
CAO max net quantity (IATA) : 200kg
Special provision (IATA) : A3, A5
ERG code (IATA) : 6L

- Inland waterway transport

Classification code (ADN) : T5
Special provisions (ADN) : 274, 563, 802
Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : T5
Special provision (RID) : 274, 563
Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1
Packing instructions (RID) : P002, IBC08, LP02, R001
Special packing provisions (RID) : B3
Mixed packing provisions (RID) : MP10
Portable tank and bulk container instructions (RID) : T1
Portable tank and bulk container special provisions (RID) : TP33
Tank codes for RID tanks (RID) : SGAH, L4BH
Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 2
Special provisions for carriage – Bulk (RID) : VC1, VC2, AP7
Special provisions for carriage – Loading and unloading (RID) : CW13, CW28, CW31
Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 60

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

SELENIUM DIOXIDE (SUBLIMED) Extra Pure is not on the REACH Candidate List

SELENIUM DIOXIDE (SUBLIMED) Extra Pure is not on the REACH Annex XIV List

SELENIUM DIOXIDE (SUBLIMED) Extra Pure

Safety Data Sheet

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to VwVwS, Annex 2; WGK No 419)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H301	Toxic if swallowed
H331	Toxic if inhaled
H373	May cause damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects
R23/25	Toxic by inhalation and if swallowed
R33	Danger of cumulative effects
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
N	Dangerous for the environment
T	Toxic

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product