

## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	: Substance
Trade name	: Sodium chlorite
EC no	: 231-836-6
CAS No	: 7758-19-2
Product code	: 05823
Formula	: ClNaO2
Synonyms	: Textone / Chlorous acid Sodium Salt

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

No additional information available

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.  
107 Wode House Road, Jehangir Villa, Colaba  
400005 Mumbai - INDIA  
T +91 22 6663 6663 - F +91 22 6663 6699  
[info@lobachemie.com](mailto:info@lobachemie.com) - [www.lobachemie.com](http://www.lobachemie.com)

#### 1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, Category 2	H272
Acute toxicity (oral), Category 3	H301
Acute toxicity (dermal), Category 1	H310
Acute toxicity (inhalation:dust,mist), Category 1	H330
Skin corrosion/irritation, Category 1	H314
Hazardous to the aquatic environment — Acute Hazard, Category 1	H400

Full text of classification categories and H statements : see section 16

# Sodium chlorite

## Safety Data Sheet

### Classification according to Directive 67/548/EEC or 1999/45/EC

O; R8  
T+; R26  
T; R24  
Xn; R22  
C; R34  
R32

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS03

GHS05

GHS06

GHS09

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H272 - May intensify fire; oxidiser  
H301 - Toxic if swallowed  
H310+H330 - Fatal in contact with skin or if inhaled  
H314 - Causes severe skin burns and eye damage  
H400 - Very toxic to aquatic life

Precautionary statements (CLP) :

P220 - Keep/Store away from clothing/.../combustible materials  
P260 - Do not breathe dust/fume/gas/mist/vapours/spray  
P273 - Avoid release to the environment  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P284 - [In case of inadequate ventilation] wear respiratory protection  
P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician

## 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Name : SODIUM CHLORITE FLAKES/CRYSTALS 80%  
CAS No : 7758-19-2  
EC no : 231-836-6

Full text of R- and H-phrases: see section 16

# Sodium chlorite

## Safety Data Sheet

### 3.2. Mixture

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Take off contaminated clothing. Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. If you feel unwell, seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: Causes severe skin burns and eye damage.
Symptoms/injuries after inhalation	: Fatal if inhaled.
Symptoms/injuries after skin contact	: Fatal in contact with skin.
Symptoms/injuries after ingestion	: Toxic if swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO <sub>2</sub> ).
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: May intensify fire; oxidiser.
Explosion hazard	: Explosive when mixed with combustible material. Heating may cause an explosion.
Hazardous decomposition products in case of fire	: Thermal decomposition generates : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment.
--------------------------------	--

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

#### 6.1.2. For emergency responders

Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Ventilate area.

### 6.2. Environmental precautions

Very toxic to aquatic life.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Large spills: scoop solid spill into closing containers.
-------------------------	--

### 6.4. Reference to other sections

No additional information available

# Sodium chlorite

## Safety Data Sheet

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling	: Avoid contact with skin, eyes and clothing.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash ... thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep container tightly closed. Store in original container. Store in a dry place.
Incompatible products	: Oxidizing agent. Strong bases. Strong acids.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Hand protection	: protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: White flakes.
Odour	: No data available
Odour threshold	: No data available
pH	: 10 - 11
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available

# Sodium chlorite

## Safety Data Sheet

Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Water: Appreciable (> 10%)
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: ≥ 0.07 vol %

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

May cause or intensify fire; oxidizer.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Highly reactive material. Contact with acids liberates very toxic gas.

### 10.4. Conditions to avoid

Direct sunlight. Heat. Water, humidity.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	: Oral: Toxic if swallowed. Dermal: Fatal in contact with skin. Inhalation:dust/mist: Fatal if inhaled.
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 10 - 11
Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 10 - 11
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified

# Sodium chlorite

## Safety Data Sheet

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Harmful if swallowed. Toxic in contact with skin.

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...

Ecology - waste materials : Hazardous waste due to toxicity.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) : 1496

UN-No. (IMDG) : 1496

UN-No.(IATA) : 1496

UN-No.(ADN) : 1496

# Sodium chlorite

## Safety Data Sheet

UN-No. (RID) : 1496

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : SODIUM CHLORITE  
Proper Shipping Name (IMDG) : SODIUM CHLORITE  
Proper Shipping Name (IATA) : SODIUM CHLORITE  
Proper Shipping Name (ADN) : SODIUM CHLORITE  
Proper Shipping Name (RID) : SODIUM CHLORITE  
Transport document description (ADR) : UN 1496 SODIUM CHLORITE, 5.1, II, (E), ENVIRONMENTALLY HAZARDOUS  
Transport document description (IMDG) : UN 1496 SODIUM CHLORITE, 5.1, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS  
Transport document description (IATA) : UN 1496 SODIUM CHLORITE, 5.1, II, ENVIRONMENTALLY HAZARDOUS  
Transport document description (ADN) : UN 1496 SODIUM CHLORITE, 5.1, II, ENVIRONMENTALLY HAZARDOUS  
Transport document description (RID) : UN 1496 SODIUM CHLORITE, 5.1, II, ENVIRONMENTALLY HAZARDOUS

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 5.1  
Danger labels (ADR) : 5.1



#### IMDG

Transport hazard class(es) (IMDG) : 5.1  
Danger labels (IMDG) : 5.1



#### IATA

Transport hazard class(es) (IATA) : 5.1  
Hazard labels (IATA) : 5.1



#### ADN

Transport hazard class(es) (ADN) : 5.1  
Danger labels (ADN) : 5.1



#### RID

# Sodium chlorite

## Safety Data Sheet

Transport hazard class(es) (RID) : 5.1  
Danger labels (RID) : 5.1



### 14.4. Packing group

Packing group (ADR) : II  
Packing group (IMDG) : II  
Packing group (IATA) : II  
Packing group (ADN) : II  
Packing group (RID) : II


### 14.5. Environmental hazards

Dangerous for the environment : Yes  
Marine pollutant : Yes  
Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : O2  
Limited quantities (ADR) : 1kg  
Excepted quantities (ADR) : E2  
Packing instructions (ADR) : P002, IBC08  
Special packing provisions (ADR) : B4  
Mixed packing provisions (ADR) : MP2  
Portable tank and bulk container instructions (ADR) : T3  
Portable tank and bulk container special provisions (ADR) : TP33  
Tank code (ADR) : SGAN  
Tank special provisions (ADR) : TU3  
Vehicle for tank carriage : AT  
Transport category (ADR) : 2  
Special provisions for carriage - Packages (ADR) : V11  
Special provisions for carriage - Loading, unloading and handling (ADR) : CV24  
Hazard identification number (Kemler No.) : 50  
Orange plates :



Tunnel restriction code (ADR) : E  
EAC code : 1Y

#### - Transport by sea

Limited quantities (IMDG) : 1 kg  
Excepted quantities (IMDG) : E2  
Packing instructions (IMDG) : P002  
IBC packing instructions (IMDG) : IBC08  
IBC special provisions (IMDG) : B2, B4



# Sodium chlorite

## Safety Data Sheet

Tank instructions (IMDG)	: T3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-H
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: A
Segregation (IMDG)	: SG38, SG49
MFAG-No	: 143

### - Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y544
PCA limited quantity max net quantity (IATA)	: 2.5kg
PCA packing instructions (IATA)	: 558
PCA max net quantity (IATA)	: 5kg
CAO packing instructions (IATA)	: 562
CAO max net quantity (IATA)	: 25kg
ERG code (IATA)	: 5L

### - Inland waterway transport

Classification code (ADN)	: O2
Limited quantities (ADN)	: 1 kg
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

### - Rail transport

Classification code (RID)	: O2
Limited quantities (RID)	: 1kg
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P002, IBC08
Special packing provisions (RID)	: B4
Mixed packing provisions (RID)	: MP2
Portable tank and bulk container instructions (RID)	: T3
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAN
Special provisions for RID tanks (RID)	: TU3
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W11
Special provisions for carriage – Loading and unloading (RID)	: CW24
Colis express (express parcels) (RID)	: CE10
Hazard identification number (RID)	: 50

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Sodium chlorite is not on the REACH Candidate List

# Sodium chlorite

## Safety Data Sheet

Sodium chlorite is not on the REACH Annex XIV List

### 15.1.2. National regulations

#### Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to VwVwS, Annex 2; WGK No 487)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 1 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 1
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Ox. Sol. 2	Oxidising Solids, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
H272	May intensify fire; oxidiser
H301	Toxic if swallowed
H310	Fatal in contact with skin
H314	Causes severe skin burns and eye damage
H330	Fatal if inhaled
H400	Very toxic to aquatic life
R22	Harmful if swallowed
R24	Toxic in contact with skin
R26	Very toxic by inhalation
R32	Contact with acids liberates very toxic gas
R34	Causes burns
R8	Contact with combustible material may cause fire
C	Corrosive
O	Oxidising

# Sodium chlorite

## Safety Data Sheet

T	Toxic
T+	Very toxic
Xn	Harmful

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*