

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
EC no : 215-687-4
CAS No : 1344-09-8
Product code : 06001

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.
107 Wode House Road, Jehangir Villa, Colaba
400005 Mumbai - INDIA
T +91 22 6663 6663 - F +91 22 6663 6699
info@lobachemie.com - www.lobachemie.com

1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, H314
Category 1B
Specific target organ H335
toxicity — Single
exposure, Category 3,
Respiratory tract irritation

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

C; R34
Xi; R37

Full text of R-phrases: see section 16

SODIUM SILICATE SOLUTION EXTRA PURE

Safety Data Sheet

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

Signal word (CLP) : Danger

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage
H335 - May cause respiratory irritation

Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : SODIUM SILICATE SOLUTION EXTRA PURE
CAS No : 1344-09-8
EC no : 215-687-4

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

SODIUM SILICATE SOLUTION EXTRA PURE

Safety Data Sheet

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.
Symptoms/injuries after inhalation : May cause respiratory irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂).
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.
Emergency procedures : Stop release.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.
Hygiene measures : Wash ... thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.
Storage conditions : Keep container tightly closed. Store in original container. Store in a dry place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

SODIUM SILICATE SOLUTION EXTRA PURE

Safety Data Sheet

8.2. Exposure controls

| | |
|--------------------------|-------------------------------------|
| Hand protection | : protective gloves |
| Eye protection | : Chemical goggles or face shield |
| Skin and body protection | : Wear suitable protective clothing |
| Respiratory protection | : Wear respiratory protection |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|---------------------------|
| Physical state | : Liquid |
| Colour | : Opaque viscous. |
| Odour | : No data available |
| Odour threshold | : No data available |
| pH | : 11.2 |
| Relative evaporation rate (butylacetate=1) | : > 1 |
| Melting point | : 0.6 °C |
| Freezing point | : No data available |
| Boiling point | : 100 °C |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : 14 mm Hg (at 20°C) |
| Relative vapour density at 20 °C | : 0.7 |
| Relative density | : No data available |
| Density | : 1.39 g/cm ³ |
| Solubility | : Water: Soluble in water |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

SODIUM SILICATE SOLUTION EXTRA PURE

Safety Data Sheet

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.
pH: 11.2

Serious eye damage/irritation : Serious eye damage, category 1, implicit
pH: 11.2

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

SODIUM SILICATE SOLUTION EXTRA PURE

Safety Data Sheet

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

| | |
|---------------|--------|
| UN-No. (ADR) | : 3266 |
| UN-No. (IMDG) | : 3266 |
| UN-No.(IATA) | : 3266 |
| UN-No.(ADN) | : 3266 |
| UN-No. (RID) | : 3266 |

14.2. UN proper shipping name

| | |
|---------------------------------------|---|
| Proper Shipping Name (ADR) | : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. |
| Proper Shipping Name (IMDG) | : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. |
| Proper Shipping Name (IATA) | : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. |
| Proper Shipping Name (ADN) | : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. |
| Proper Shipping Name (RID) | : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. |
| Transport document description (ADR) | : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., 8, III, (E) |
| Transport document description (IMDG) | : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., 8, III |
| Transport document description (IATA) | : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., 8, III |
| Transport document description (ADN) | : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., 8, III |
| Transport document description (RID) | : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., 8, III |

14.3. Transport hazard class(es)

ADR

| | |
|----------------------------------|-----|
| Transport hazard class(es) (ADR) | : 8 |
| Danger labels (ADR) | : 8 |

SODIUM SILICATE SOLUTION EXTRA PURE

Safety Data Sheet



IMDG

Transport hazard class(es) (IMDG) : 8

Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8

Hazard labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8

Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

SODIUM SILICATE SOLUTION EXTRA PURE

Safety Data Sheet

14.6. Special precautions for user

- Overland transport

| | |
|---|---------------------------|
| Classification code (ADR) | : C5 |
| Special provision (ADR) | : 274 |
| Limited quantities (ADR) | : 5L |
| Excepted quantities (ADR) | : E1 |
| Packing instructions (ADR) | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (ADR) | : MP19 |
| Portable tank and bulk container instructions (ADR) | : T7 |
| Portable tank and bulk container special provisions (ADR) | : TP1, TP28 |
| Tank code (ADR) | : L4BN |
| Vehicle for tank carriage | : AT |
| Transport category (ADR) | : 3 |
| Special provisions for carriage - Packages (ADR) | : V12 |
| Hazard identification number (Kemler No.) | : 80 |
| Orange plates | : |



| | |
|-------------------------------|------|
| Tunnel restriction code (ADR) | : E |
| EAC code | : 2X |
| APP code | : B |

- Transport by sea

| | |
|---------------------------------|--------------|
| Special provision (IMDG) | : 223, 274 |
| Limited quantities (IMDG) | : 5 L |
| Excepted quantities (IMDG) | : E1 |
| Packing instructions (IMDG) | : P001, LP01 |
| IBC packing instructions (IMDG) | : IBC03 |
| Tank instructions (IMDG) | : T7 |
| Tank special provisions (IMDG) | : TP1, TP28 |
| EmS-No. (Fire) | : F-A |
| EmS-No. (Spillage) | : S-B |
| Stowage category (IMDG) | : A |
| Stowage and handling (IMDG) | : SW2 |
| Segregation (IMDG) | : SG35 |
| MFAG-No | : 154 |

- Air transport

| | |
|--|--------|
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y841 |
| PCA limited quantity max net quantity (IATA) | : 1L |
| PCA packing instructions (IATA) | : 852 |
| PCA max net quantity (IATA) | : 5L |
| CAO packing instructions (IATA) | : 856 |
| CAO max net quantity (IATA) | : 60L |
| Special provision (IATA) | : A3 |
| ERG code (IATA) | : 8L |

SODIUM SILICATE SOLUTION EXTRA PURE

Safety Data Sheet

- Inland waterway transport

| | |
|-----------------------------------|----------|
| Classification code (ADN) | : C5 |
| Special provisions (ADN) | : 274 |
| Limited quantities (ADN) | : 5 L |
| Excepted quantities (ADN) | : E1 |
| Carriage permitted (ADN) | : T |
| Equipment required (ADN) | : PP, EP |
| Number of blue cones/lights (ADN) | : 0 |

- Rail transport

| | |
|---|---------------------------|
| Classification code (RID) | : C5 |
| Special provision (RID) | : 274 |
| Limited quantities (RID) | : 5L |
| Excepted quantities (RID) | : E1 |
| Packing instructions (RID) | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (RID) | : MP19 |
| Portable tank and bulk container instructions (RID) | : T7 |
| Portable tank and bulk container special provisions (RID) | : TP1, TP28 |
| Tank codes for RID tanks (RID) | : L4BN |
| Transport category (RID) | : 3 |
| Special provisions for carriage – Packages (RID) | : W12 |
| Colis express (express parcels) (RID) | : CE8 |
| Hazard identification number (RID) | : 80 |

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

SODIUM SILICATE SOLUTION EXTRA PURE is not on the REACH Candidate List

SODIUM SILICATE SOLUTION EXTRA PURE is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 2; WGK No 1314)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Denmark

SODIUM SILICATE SOLUTION EXTRA PURE

Safety Data Sheet

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

| | |
|---------------|--|
| Skin Corr. 1B | Skin corrosion/irritation, Category 1B |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H314 | Causes severe skin burns and eye damage |
| H335 | May cause respiratory irritation |
| R34 | Causes burns |
| R37 | Irritating to respiratory system |
| C | Corrosive |
| Xi | Irritant |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product