

CAS No: MSDS

LABORATORY REAGENTS
& FINE CHEMICALS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
:
Product code : 2385K

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LOBACHEMIE PVT.LTD.
107 Wode House Road, Jehangir Villa, Colaba
400005 Mumbai - INDIA
T +91 22 6663 6663 - F +91 22 6663 6699
info@lobachemie.com - www.lobachemie.com

1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Self-Reactive Substances and Mixtures, Type C	H242
Acute toxicity (oral), Category 4	H302
Acute toxicity (dermal), Category 3	H311
Acute toxicity (inhal.), Category 3	H331
Skin corrosion/irritation, Category 1	H314
Sensitisation — Skin, category 1	H317
Germ cell mutagenicity, Category 2	H341
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411

tert-BUTYL HYDROPEROXIDE 70% IN WATER Extra Pure

Safety Data Sheet

Full text of classification categories and H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS05

GHS06

GHS08

GHS09

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H226 - Flammable liquid and vapour
H242 - Heating may cause a fire
H302 - Harmful if swallowed
H311+H331 - Toxic in contact with skin or if inhaled
H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H341 - Suspected of causing genetic defects
H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP) :

P220 - Keep/Store away from clothing/.../combustible materials
P261 - Avoid breathing vapours, dust, fume, gas
P273 - Avoid release to the environment
P280 - Wear protective gloves, protective clothing, eye protection, face protection
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

tert-BUTYL HYDROPEROXIDE 70% IN WATER Extra Pure

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
tert-Butyl hydroperoxide solution	(CAS No) 75-91-2	70	Acute Tox. 3 (Inhalation), H331 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302
Water	(CAS No) 7732-18-5 (EC no) 231-791-2	25 - 35	Not classified

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Assure fresh air breathing. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
- First-aid measures after skin contact : Immediately call a POISON CENTER or doctor/physician. Wash with plenty of soap and water. Wash contaminated clothing before reuse.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Causes severe skin burns and eye damage.
- Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.
- Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Carbon dioxide. Dry powder. Water spray. Foam.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Flammable liquid and vapour.
- Explosion hazard : Heating may cause a fire or explosion.

5.3. Advice for firefighters

- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

tert-BUTYL HYDROPEROXIDE 70% IN WATER Extra Pure

Safety Data Sheet

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Toxic to aquatic life with long lasting effects.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe vapours.
Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : Protective gloves
Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Odour : No data available
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available

tert-BUTYL HYDROPEROXIDE 70% IN WATER Extra Pure

Safety Data Sheet

Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Overheating. Open flame. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Dermal: Toxic in contact with skin. Inhalation: Toxic if inhaled.

tert-BUTYL HYDROPEROXIDE 70% IN WATER Extra Pure

Safety Data Sheet

ATE CLP (oral)	500 mg/kg bodyweight
ATE CLP (dermal)	300 mg/kg bodyweight
ATE CLP (gases)	700 ppmv/4h
ATE CLP (vapours)	3 mg/l/4h
ATE CLP (dust,mist)	0.5 mg/l/4h

Skin corrosion/irritation : Causes severe skin burns and eye damage.
Serious eye damage/irritation : Serious eye damage, category 1, implicit
Respiratory or skin sensitisation : May cause an allergic skin reaction.
Germ cell mutagenicity : Suspected of causing genetic defects.
Carcinogenicity : Not classified

Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Harmful if swallowed. Harmful in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

tert-BUTYL HYDROPEROXIDE 70% IN WATER Extra Pure

Safety Data Sheet

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 3109
UN-No. (IMDG) : 3109
UN-No.(IATA) : 3109
UN-No.(ADN) : 3109
UN-No. (RID) : 3109

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ORGANIC PEROXIDE TYPE F, LIQUID
Proper Shipping Name (IMDG) : ORGANIC PEROXIDE TYPE F, LIQUID
Proper Shipping Name (IATA) : ORGANIC PEROXIDE TYPE F, LIQUID
Proper Shipping Name (ADN) : ORGANIC PEROXIDE TYPE F, LIQUID
Proper Shipping Name (RID) : ORGANIC PEROXIDE TYPE F, LIQUID
Transport document description (ADR) : UN 3109 ORGANIC PEROXIDE TYPE F, LIQUID, 5.2, (D), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG) : UN 3109 ORGANIC PEROXIDE TYPE F, LIQUID, 5.2, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA) : UN 3109 ORGANIC PEROXIDE TYPE F, LIQUID, 5.2, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN) : UN 3109 ORGANIC PEROXIDE TYPE F, LIQUID, 5.2, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID) : UN 3109 ORGANIC PEROXIDE TYPE F, LIQUID, 5.2, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 5.2
Danger labels (ADR) : 5.2



IMDG

Transport hazard class(es) (IMDG) : 5.2
Danger labels (IMDG) : 5.2



IATA

Transport hazard class(es) (IATA) : 5.2

tert-BUTYL HYDROPEROXIDE 70% IN WATER Extra Pure

Safety Data Sheet

Hazard labels (IATA) : 5.2



ADN

Transport hazard class(es) (ADN) : 5.2

Danger labels (ADN) : 5.2



RID

Transport hazard class(es) (RID) : 5.2

Danger labels (RID) : 5.2



14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : P1

Special provision (ADR) : 122, 274

Limited quantities (ADR) : 125ml

Excepted quantities (ADR) : E0

Packing instructions (ADR) : P520, IBC520

Mixed packing provisions (ADR) : MP4

Portable tank and bulk container instructions (ADR) : T23

Tank code (ADR) : L4BN(+)

Tank special provisions (ADR) : TU3, TU13, TU30, TE12, TA2, TM4

Vehicle for tank carriage : AT

Transport category (ADR) : 2

tert-BUTYL HYDROPEROXIDE 70% IN WATER Extra Pure

Safety Data Sheet

Special provisions for carriage - Packages (ADR) : V1
Special provisions for carriage - Loading, unloading and handling (ADR) : CV15, CV22, CV24
Hazard identification number (Kemler No.) : 539
Orange plates :



Tunnel restriction code (ADR) : D
EAC code : 2W

- Transport by sea

Special provision (IMDG) : 122, 274
Limited quantities (IMDG) : 125 ml
Excepted quantities (IMDG) : E0
Packing instructions (IMDG) : P520
IBC packing instructions (IMDG) : IBC520
Tank instructions (IMDG) : T23
EmS-No. (Fire) : F-J
EmS-No. (Spillage) : S-R
Stowage category (IMDG) : D
Stowage and handling (IMDG) : SW1
Segregation (IMDG) : SG35, SG36, SG72

- Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity (IATA) : Forbidden
PCA packing instructions (IATA) : 570
PCA max net quantity (IATA) : 10L
CAO packing instructions (IATA) : 570
CAO max net quantity (IATA) : 25L
Special provision (IATA) : A20, A150
ERG code (IATA) : 5L

- Inland waterway transport

Classification code (ADN) : P1
Special provisions (ADN) : 122, 274
Limited quantities (ADN) : 125 ml
Excepted quantities (ADN) : E0
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : P1
Special provision (RID) : 122, 274
Limited quantities (RID) : 125ml
Excepted quantities (RID) : E0
Packing instructions (RID) : P520, IBC520
Mixed packing provisions (RID) : MP4
Portable tank and bulk container instructions (RID) : T23
Tank codes for RID tanks (RID) : L4BN(+)

tert-BUTYL HYDROPEROXIDE 70% IN WATER Extra Pure

Safety Data Sheet

Special provisions for RID tanks (RID)	: TU3, TU13, TU30, TE12, TA2, TM4
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W7
Special provisions for carriage – Loading and unloading (RID)	: CW22, CW24, CW29
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 539

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-phrases:

tert-BUTYL HYDROPEROXIDE 70% IN WATER Extra Pure

Safety Data Sheet

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Muta. 2	Germ cell mutagenicity, Category 2
Self-react. C	Self-Reactive Substances and Mixtures, Type C
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Sens. 1	Sensitisation — Skin, category 1
H226	Flammable liquid and vapour
H242	Heating may cause a fire
H302	Harmful if swallowed
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H331	Toxic if inhaled
H341	Suspected of causing genetic defects
H411	Toxic to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product