

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: 00164 Issue date: 1/19/2024 Revision date: 1/19/2024 Supersedes version of: 1/15/2019 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

1.1. Product identifier	
Product form Trade name EC Index-No. EC-No. CAS-No. Product code Type of product Formula Chemical structure	 Substance n-HEXANE 99% FOR HPLC & UV SPECTROSCOPY 601-037-00-0 203-777-6 110-54-3 00164 Hydrocarbons, aliphatic C6H14 H H H H H H H - C - C - C - C - H H H H H H
Synonyms	: 1-Hexane, Sextane, Hexacarbane
1.2. Relevant identified uses of the subst	tance or mixture and uses advised against
1.2.1. Relevant identified uses	
Industrial/Professional use spec	: Industrial For professional use only : Laboratory chemicals
	Manufacture of substances Solvents
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safety of	data sheet
LOBA CHEMIE PVT.LTD. 107 Wode House Road, Jehangir Villa, Colaba 400005 Mumbai	

INDIA T +91 22 6663 6663, F +91 22 6663 6699 info@lobachemie.com, www.lobachemie.com

1.4. Emergency telephone number

Emergency number

: + 91 22 6663 6663 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008	[CLP]
Flammable liquids, Category 2	H225
Skin corrosion/irritation, Category 2	H315
Reproductive toxicity, Category 2	H361f
Specific target organ toxicity – Single exposure, Category 3,	H336
Narcosis	
Specific target organ toxicity - Repeated exposure, Category 2	2 H373
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	
Full text of H- and EUH-statements: see section 16	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. May cause drowsiness or dizziness. Causes skin irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life

with long lasting effects. 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS02 GHS07 GHS08 GHS09 Signal word (CLP) : Danger Hazard statements (CLP) : H225 - Highly flammable liquid and vapour. H304 - May be fatal if swallowed and enters airways. H315 - Causes skin irritation. H336 - May cause drowsiness or dizziness. H361f - Suspected of damaging fertility. H373 - May cause damage to organs through prolonged or repeated exposure. H411 - Toxic to aquatic life with long lasting effects. Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P273 - Avoid release to the environment. P280 - Wear protective clothing, eye protection, face protection, protective gloves. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . P331 - Do NOT induce vomiting. 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type :	Mono-constituent	
Name	Product identifier	%
n-HEXANE 99%	CAS-No.: 110-54-3 EC-No.: 203-777-6 EC Index-No.: 601-037-00-0	100

3.2. Mixtures

Not applicable

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Wash with plenty of water/ Wash contaminated clothing before reuse. Get medical advice/attention. If skin irritation occurs: Get medical advice/attention.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact First-aid measures after ingestion	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. Immediately call a POISON CENTER/doctor. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects	: Suspected of damaging fertility. May cause damage to organs. May cause drowsiness or dizziness.
Symptoms/effects Symptoms/effects after inhalation	
	dizziness.
Symptoms/effects after inhalation	dizziness. : May cause respiratory irritation. May cause drowsiness or dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Foam. Dry powder. Carbon dioxide.Do not use a heavy water stream.
5.2. Special hazards arising from the subst	tance or mixture
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions Protection during firefighting	 Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures	
6.1. Personal precautions, protective equipme	ent and emergency procedures
General measures :	Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
6.1.1. For non-emergency personnel	
	Wear recommended personal protective equipment. Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
	Do not attempt to take action without suitable protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures :	Ventilate area. Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment. Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.3. Methods and material for contain	iment and cleaning up
For containment	: Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up	: Take up liquid spill into absorbent material. Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13.

SECTION 7: Handling and storag	e
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling	 Handle empty containers with care because residual vapours are flammable. No open flames. No smoking. Use only non-sparking tools. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, incl	uding any incompatibilities
Technical measures	 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.
Storage conditions	: Keep in fireproof place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.
Incompatible materials Packaging materials	Heat sources.Store always product in container of same material as original container.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear a mask

Hand protection: Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9. Phy	veical and cha	mical properties
	ysical and che	inical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Appearance	: Clear liquid.
Molecular mass	: 86.18 g/mol
Odour	: gasoline-like.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: -96 – -94 °C
Boiling point	: 68 – 70 °C
Flammability	: Flammable
	Highly flammable liquid and vapour.
Lower explosion limit	: 1.1 vol %
Upper explosion limit	: 7.5 vol %
Flash point	: -22 °C
Auto-ignition temperature	: 225 °C at 1.013 hPa
Decomposition temperature	: Not available
рН	: ≈7
Viscosity, kinematic	: 0.47 mm²/s
Viscosity, dynamic	: 0.31 mPa⋅s at 20° C

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Solubility	: Water: Immiscible in water
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 151 mm Hg at 25° C
Vapour pressure at 50°C	: Not available
Density	: 0.66 g/cm³ at 20 °C
Relative density	: Not available
Relative vapour density at 20°C	: 2.97 (Air = 1)
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Refractive index

: 1.374 - 1.376 (20 °C, 589 nm)

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour.

10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Open flame. Direct sunlight. Heat. Sparks. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information		
44.4. Information on barard classes as defi	ned in Regulation (EC) No 4272/2009	
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
	pH: ≈ 7	
Serious eye damage/irritation	: Not classified	
	pH: ≈ 7	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Suspected of damaging fertility.	
STOT-single exposure	: May cause drowsiness or dizziness.	
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard	: May be fatal if swallowed and enters airways.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

n-HEXANE 99% FOR HPLC & UV SPECTROSCOPY (110-54-3)		
ïscosity, kinematic	0.47 mm ² /s	
11.2. Information on other hazards		
No additional information available		

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general:Ecology - water:Hazardous to the aquatic environment, short-term:(acute):Hazardous to the aquatic environment, long-term:(chronic):	Toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Not classified Toxic to aquatic life with long lasting effects.	
12.2. Persistence and degradability		
n-HEXANE 99% FOR HPLC & UV SPECTROS	СОРҮ (110-54-3)	
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential No additional information available		
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
No additional information available		
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		

13.1. Waste treatment methods	
Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Disposal must be done according to official regulations.
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container. Do not re-use empty containers.
Ecological information	: Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878


14.1. UN number or ID number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID)	 : UN 1208
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR) Transport document description (IMDG) Transport document description (IATA) Transport document description (ADN) Transport document description (RID)	 HEXANES HEXANES Hexanes HEXANES HEXANES HEXANES UN 1208 HEXANES, 3, II, (D/E) UN 1208 HEXANES, 3, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS UN 1208 HEXANES, 3, II, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)	
ADR	


ADIX	
Transport hazard class(es) (ADR)	: 3
Danger labels (ADR)	: 3



IMDG

Transport hazard class(es) (IMDG) Danger labels (IMDG)









: 3 : 3

RID

ADN

Transport hazard class(es) (RID)	
Danger labels (RID)	

Transport hazard class(es) (ADN)

Danger labels (ADN)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



14.4. Packing group	
Packing group (ADR)	: 11
Packing group (IMDG)	: 11
Packing group (IATA)	: 11
Packing group (ADN)	: 11
Packing group (RID)	: 11
14.5. Environmental hazards	
Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	: F1
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions	: TP1
(ADR)	
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	33 1208
Tunnel restriction code (ADR)	: D/E
EAC code	: 3YE
Transport by sea	
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: E
Properties and observations (IMDG)	: Colourless, volatile liquids with a faint odour. Explosive limits: 1.1% to 7.5% n-HEXANE: flashpoint -22°C c.c. boiling point 69°C. NEOHEXANE: flashpoint -48°C c.c. boiling point 50°C. Immiscible with water. Slightly irritating to skin, eyes and mucous membranes.
MFAG-No	: 128
Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
ERG code (IATA)	: 3H
Inland waterway transport Classification code (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Ventilation (ADN) Number of blue cones/lights (ADN)	: F1 : 1 L : E2 : T : PP, EX, A : VE01 : 1
Rail transport Classification code (RID) Limited quantities (RID) Excepted quantities (RID) Packing instructions (RID) Mixed packing provisions (RID) Portable tank and bulk container instructions (RID) Portable tank and bulk container special provisions (RID)	
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	n-HEXANE 99% FOR HPLC & UV SPECTROSCOPY
3(b)	n-HEXANE 99% FOR HPLC & UV SPECTROSCOPY
3(c)	n-HEXANE 99% FOR HPLC & UV SPECTROSCOPY
40.	n-HEXANE 99% FOR HPLC & UV SPECTROSCOPY

REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Not listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Not listed on the PIC list (Regulation EU 649/2012)

POP Regulation (Persistent Organic Pollutants)

Not listed on the POP list (Regulation EU 2019/1021)

Ozone Regulation (1005/2009)

Not listed on the Ozone Depletion list (Regulation EU 1005/2009)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 59	Occupational poisoning by hexane

Germany

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	 WGK 2, Significantly hazardous to water (Classification according to AwSV; ID No. 124). Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: The substance is not listed
SZW-lijst van mutagene stoffen	: The substance is not listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: The substance is not listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: n-HEXANE 99% is listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: The substance is not listed
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:			
EN	European Standard		
IARC	International Agency for Research on Cancer		
ΙΑΤΑ	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
РВТ	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
ThOD	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit		
VOC	Volatile Organic Compounds		
CAS-No.	Chemical Abstract Service number		
N.O.S.	Not Otherwise Specified		
vPvB	Very Persistent and Very Bioaccumulative		
ED	Endocrine disrupting properties		

Full text of H- and EUH-statements:		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H336	May cause drowsiness or dizziness.	
H361f	Suspected of damaging fertility.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H411	Toxic to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Narcosis	3 Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.