

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
CAS-No. : 70693-62-8
Product code : 05082

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.
107 Wode House Road, Jehangir Villa, Colaba
400005 Mumbai - INDIA
T +91 22 6663 6663 - F +91 22 6663 6699
info@lobachemie.com - www.lobachemie.com

1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, H272
Category 2
Skin corrosion/irritation, H314
Category 1
Respiratory sensitisation, H334
Category 1
Skin sensitisation, H317
Category 1
Specific target organ
toxicity — Single
exposure, Category 3,
Respiratory tract irritation

Full text of H statements : see section 16

OXONE Extra Pure

Safety Data Sheet

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS03

GHS05

GHS07

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H272 - May intensify fire; oxidiser.
H314 - Causes severe skin burns and eye damage.
H317 - May cause an allergic skin reaction.
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 - May cause respiratory irritation.

Precautionary statements (CLP) : P220 - Keep/Store away from clothing and other combustible materials.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER/doctor

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	%
OXONE Extra Pure	(CAS-No.) 70693-62-8	100

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.

OXONE Extra Pure

Safety Data Sheet

First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : May intensify fire; oxidiser.

Explosion hazard : Heating may cause a fire or explosion.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean contaminated surfaces with an excess of water.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

OXONE Extra Pure

Safety Data Sheet

8.2. Exposure controls

Hand protection	: Protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Molecular mass	: 307.38 g/mol
Colour	: White powder.
Odour	: No data available
Odour threshold	: No data available
pH	: 2.1 at 30 g/l at 77 °C
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

OXONE Extra Pure

Safety Data Sheet

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions. Risk of explosion if heated under confinement.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Heat. High temperature. Overheating. Open flame.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.
pH: 2.1 at 30 g/l at 77 °C

Serious eye damage/irritation : Serious eye damage, category 1, implicit
pH: 2.1 at 30 g/l at 77 °C

Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

OXONE Extra Pure

Safety Data Sheet

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 3215
UN-No. (IMDG)	: 3215
UN-No. (IATA)	: 3215
UN-No. (ADN)	: 3215
UN-No. (RID)	: 3215

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: PERSULPHATES, INORGANIC, N.O.S.
Proper Shipping Name (IMDG)	: PERSULPHATES, INORGANIC, N.O.S.
Proper Shipping Name (IATA)	: Persulphates, inorganic, n.o.s.
Proper Shipping Name (ADN)	: PERSULPHATES, INORGANIC, N.O.S.
Proper Shipping Name (RID)	: PERSULPHATES, INORGANIC, N.O.S.
Transport document description (ADR)	: UN 3215 PERSULPHATES, INORGANIC, N.O.S., 5.1, III, (E)
Transport document description (IMDG)	: UN 3215 PERSULPHATES, INORGANIC, N.O.S., 5.1, III
Transport document description (IATA)	: UN 3215 Persulphates, inorganic, n.o.s., 5.1, III
Transport document description (ADN)	: UN 3215 PERSULPHATES, INORGANIC, N.O.S., 5.1, III
Transport document description (RID)	: UN 3215 PERSULPHATES, INORGANIC, N.O.S., 5.1, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 5.1
Danger labels (ADR)	: 5.1

OXONE Extra Pure

Safety Data Sheet



IMDG

Transport hazard class(es) (IMDG) : 5.1

Danger labels (IMDG) : 5.1



IATA

Transport hazard class(es) (IATA) : 5.1

Hazard labels (IATA) : 5.1



ADN

Transport hazard class(es) (ADN) : 5.1

Danger labels (ADN) : 5.1



RID

Transport hazard class(es) (RID) : 5.1

Danger labels (RID) : 5.1



14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No



Other information : No supplementary information available

OXONE Extra Pure

Safety Data Sheet

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: O2
Limited quantities (ADR)	: 5kg
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Special packing provisions (ADR)	: B3
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T1
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAV
Tank special provisions (ADR)	: TU3
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Bulk (ADR)	: VC1, VC2, AP6, AP7
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24
Hazard identification number (Kemler No.)	: 50
Orange plates	:  
Tunnel restriction code (ADR)	: E
EAC code	: 1Z

- Transport by sea

Packing instructions (IMDG)	: P002, LP02
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: A
Segregation (IMDG)	: SG40, SG49
Properties and observations (IMDG)	: Solids. Solid mixtures with combustible material are sensitive to friction and are liable to ignite. Reacts fiercely with cyanides when heated or by friction. May form explosive mixture with powdered metals or ammonium compounds.

- Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y546
PCA limited quantity max net quantity (IATA)	: 10kg
PCA packing instructions (IATA)	: 559
PCA max net quantity (IATA)	: 25kg
CAO packing instructions (IATA)	: 563
CAO max net quantity (IATA)	: 100kg
Special provisions (IATA)	: A803
ERG code (IATA)	: 5L

OXONE Extra Pure

Safety Data Sheet

- Inland waterway transport

Classification code (ADN)	: O2
Limited quantities (ADN)	: 5 kg
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

- Rail transport

Classification code (RID)	: O2
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P002, IBC08, LP02, R001
Special packing provisions (RID)	: B3
Mixed packing provisions (RID)	: MP10
Portable tank and bulk container instructions (RID)	: T1
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAV
Special provisions for RID tanks (RID)	: TU3
Transport category (RID)	: 3
Special provisions for carriage – Bulk (RID)	: VC1, VC2, AP6, AP7
Special provisions for carriage - Loading, unloading and handling (RID)	: CW24
Colis express (express parcels) (RID)	: CE11
Hazard identification number (RID)	: 50

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

OXONE Extra Pure is not on the REACH Candidate List

OXONE Extra Pure is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to AwSV; ID No. 4343)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

OXONE Extra Pure

Safety Data Sheet

SZW-lijst van mutagene stoffen : The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Ox. Sol. 2	Oxidising Solids, Category 2
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product